

# SAFETY DATA SHEET

FlameStop New Zealand  
105 Hugo Johnston Drive, Penrose 1061 Auckland New Zealand  
Phone: +64 9 525 0233 | Email: sales@vikingnz.co.nz

## SECTION 1 - IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

### PRODUCT IDENTIFIER:

# WORMALD BRANDED AFFF FIRE EXTINGUISHER

### OTHER MEANS OF IDENTIFICATION:

AQUEOUS FILM FORMING FOAM FIRE EXTINGUISHER  
G9LAFFF FLAMESTOP 9.0L AFFF PORTABLE EXTINGUISHER  
M50LAFFF FLAMESTOP 50L AFFF MOBILE EXTINGUISHER  
M90LAFFF FLAMESTOP 90L AFFF MOBILE EXTINGUISHER

### RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:

Use of substance / mixture: fire extinguishing agent

### DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

Supplier: FlameStop  
Street: 105 Hugo Johnston Drive  
Postal code/city: Penrose, Auckland. 1061  
Country: New Zealand  
Telephone: +61 425 377 688 (24 hours)  
E-mail: sales@vikingnz.co.nz  
Website: www.vikingnz.co.nz  
Dept. responsible for information: Compliance

**EMERGENCY CONTACT NUMBER: +61 425 377 688**

## SECTION 2 - HAZARD(S) IDENTIFICATION

### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:


Classification according to the the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including, The Health and Safety at Work Act 2015 (HSWA), New Zealand

Classified as dangerous - Gases under Pressure - Compressed Gas

Classification according to the New Zealand Standard for the Transport of dangerous goods on land (NZS 5433:2012)

Classified as Dangerous Goods

### LABEL ELEMENTS:

<b>Hazard pictograms</b>	
<b>Pictogram code</b>	GHS04 Gas Cylinder
<b>Signal word</b>	<b>WARNING</b>
<b>Hazard statements</b>	
<b>Physical Hazards</b>	<b>H280</b> Contains gas under pressure; may explode if heated.
<b>Health Hazards</b>	
<b>Environmental Hazards</b>	
<b>Combinations</b>	
<b>Precautionary statements</b>	
<b>General</b>	
<b>Prevention</b>	
<b>Response</b>	
<b>Storage</b>	<b>P410+P403</b> Protect from sunlight. Store in a well ventilated space.

### OTHER HAZARDS:

None.

## SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

### MIXTURE INGREDIENTS

Ingredient (Designation)	CAS No.	Percentage of Ingredients
<b>1,2 Ethandiol</b>	107-21-1	<4%
<b>2-(2-Butoxyethoxy) Ethanol</b>	112-34-5	<2%
<b>Fluorosurfactant</b>		<1%
<b>Nitrogen UN1066</b>	7727-37-9	Not known, gas
<b>Water (H<sub>2</sub>O)</b>	7732-18-5	<94%

## SECTION 4: FIRST AID MEASURES

### DESCRIPTION OF FIRST AID MEASURES:

#### General information

Remove contaminated, saturated clothing immediately. Wash thoroughly the body (shower or bath). Observe risk of aspiration if vomiting occurs. When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Provide fresh air. Consult a doctor immediately in the case of inhaling spray mist and show him packing or label.

#### In case of skin contact

Wash immediately with: Water

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

### MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE, DELAYED AND AGGREGATED

Drowsiness

Nausea

Gastrointestinal complaints

### INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

If unconscious place in recovery position and seek medical advice.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/....

## SECTION 5: FIREFIGHTING MEASURES

### EXTINGUISHING MEDIA

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

---

### SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

The product itself does not burn.

---

### ADVICE FOR FIREFIGHTERS

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### Appropriate personal protective equipment for fire fighters:

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes or products of combustion. Avoid eye and skin contact.

#### Hazchem code:

No Hazchem Code issued to these articles. No HIN issued under RID and ADR.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Provide adequate ventilation.

---

### ENVIRONMENTAL PRECAUTIONS

Cover drains. Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

---

### METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Take up mechanically, placing in appropriate containers for disposal.

Treat the recovered material as prescribed in the section on waste disposal.

Suitable material for taking up:

- Sand
  - Sawdust
  - Chemical binding agents, containing acids
- 

### REFERENCES TO OTHER SECTIONS

Safe handling: see section 7

Personal protection equipment: see section 8

## SECTION 7 - HANDLING AND STORAGE

### PRECAUTIONS FOR SAFE HANDLING

#### Avoid

- Skin contact
- Eye contact

Wear personal protection equipment (see chapter 8).

## SECTION 7 - HANDLING AND STORAGE (CONTINUED)

### Measures to prevent fire

The product is not

- Oxidising
- Combustible
- Flammable
- Explosive
- Highly flammable

No special fire protection measures are necessary

---

## CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

### Technical measures and storage conditions

Do not store at temperatures above: +50°C

### Requirements for storage rooms and vessels

Suitable container/equipment material

- Refined steel
- Polyethylene (PE)
- Unsuitable container/equipment material
- Aluminium
- Light metal
- Copper
- Zinc
- Alloy, containing copper
- Alloy, contains light metal
- Iron.
- Steel

### Hints on joint storage

Storage class

12: Non-combustible liquids

---

## SPECIFIC END USE(S)

Fire-extinguishing foams based on synthetic surfactants

Do not use for cleaning purposes.

### Recommendation

Observe technical data sheet.

### CONTROL PARAMETERS / OCCUPATIONAL EXPOSURE LIMIT VALUES

**Substance name: 2-(2-Butoxyethoxy)ethanol**

CAS No.: 112-34-5

EC No.: 203-961-6

**United Kingdom**

long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): TWA (EN)

short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): STEL (EN)

peak limitation: ---; Limit value type (country of origin): Ceil (EN)

**European Union**

long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): TWA (EC)

short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): STEL (EC)

peak limitation: ---; Limit value type (country of origin): Ceil (EC)

**Germany**

long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): AGW (DE)

short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): Peak (DE)

peak limitation: ---; Limit value type (country of origin): Ceil (DE)

**Substance name: 1,2-Ethandiol**

CAS No.: 107-21-1

EC No.: 203-473-3

**United Kingdom**

long-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): TWA (EN)

short-term occupational exposure limit value: 40 ppm; Limit value type (country of origin): STEL (EN)

peak limitation: ---; Limit value type (country of origin): Ceil (EN)

**European Union**

long-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): TWA (EC)

short-term occupational exposure limit value: 40 ppm; Limit value type (country of origin): STEL (EC)

peak limitation: ---; Limit value type (country of origin): Ceil (EC)

**Germany**

long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): AGW (DE)

short-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): Peak (DE)

peak limitation: ---; Limit value type (country of origin): Ceil (DE)

---

### EXPOSURE CONTROLS

**Advices on general occupational hygiene**

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Avoid contact with skin, eyes and clothes.

Remove contaminated, saturated clothing.

Wash contaminated clothing prior to re-use.

Wash hands before breaks and after work.

Apply skin care products after work.

## SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION (CONTINUED)

### Eye/face protection

Suitable eye protection

- Eye glasses with side protection
- goggles
- Face protection shield

Recommended eye protection articles

- DIN EN 166

### Hand protection

Suitable gloves type

- Gloves with long cuffs

Suitable material

- NBR (Nitrile rubber)
- Butyl caoutchouc (butyl rubber)

Breakthrough time (maximum wearing time)

- 120 min.

Recommended glove articles

- DIN EN 374

### Body protection

Body protection: not required.

### Respiratory protection

Usually no personal respiratory protection necessary.

### Environmental exposure controls

Store concentrate according to national regulations (VAwS).

Do not let the concentrate get into the environment.

If possible, hold back the application solution and dispose of after use.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b> - Physical state: - Colour:	Liquid Yellow / Brown	
<b>pH (at 20°C):</b>	6.5 - 8.5	DIN 19268
<b>Density (at 20°C)</b>	1,010 - 1,050 g/ml	DIN 12791
<b>Kinematic viscosity (at 20°C)</b>	< 10 mm <sup>2</sup> /s	DIN 51562 Newton
<b>Kinematic viscosity (at -15°C)</b>	< 30 mm <sup>2</sup> /s	DIN 51562 Newton
<b>Solidification point:</b>	-15°C	DIN ISO 3016
<b>Initial boiling point and boiling range</b>	>100°C	DIN 51751
<b>Water solubility (g/L)</b>	completely miscible	OECD 105
<b>Flash point</b>	No flash point up to 100°C	

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (CONTINUED)

### PHYSICAL HAZARDS

Breathing is not possible whilst submerged in the foam. Take care when spraying people!

---

### OTHER INFORMATION

No information available

---

## SECTION 10 - STABILITY AND REACTIVITY

### REACTIVITY

#### Materials to avoid

- Alkali (lye), concentrated
  - Alkali metals
  - Acid, concentrated
  - Oxidising agent, strong
  - Reducing agent, strong
  - Acid halides
- 

### CHEMICAL STABILITY

No special measures are necessary. Stable under normal ambient storage and handling conditions.

---

### POSSIBILITY OF HAZARDOUS REACTIONS

None.

---

### CONDITIONS TO AVOID

Do not store at temperatures above: +50°C

---

### INCOMPATIBLE MATERIALS

See section 7. No additional measures necessary.

---

### HAZARDOUS DECOMPOSITION PRODUCTS

Pyrolysis products, containing fluorine  
Fluorinated hydrocarbons  
Hydrofluoric acid



**MIXTURE RELATED INFORMATION**

Test was carried out with a similar preparation / mixture

**Non-human toxicological data**

Acute oral toxicity

<b>LD50</b>	>2000mg/kg	The acute oral toxicity is corresponding to GHS-category 5.
<b>Species</b>	Rat	
<b>Method</b>	OECD 420	Test was carried out with a similar formulation.

**Acute dermal toxicity**

The product has not been tested.

**Acute inhalation toxicity**

The product has not been tested.

**Irritant and corrosive effects****Skin corrosion/irritation**

Not an irritant.

The product has not been tested.

Test was carried out with a similar preparation/mixture.

**Eye damage/irritation**

The product has not been tested.

Test was carried out with a similar preparation/mixture.

**Irritation to respiratory tract**

The product has not been tested.

**Respiratory or skin sensitisation**

The product has not been tested.

**Repeated dose toxicity**

The product has not been tested.

**Carcinogenicity**

The product has not been tested.

**In vivo mutagenicity/genotoxicity**

The product has not been tested.

Reproductive toxicity

The product has not been tested.

## SECTION 12 - ECOLOGICAL INFORMATION

### TOXICITY

Acute (short-term fish toxicity)	
Effective dose - LC50 ~5100mg/L	
Exposure time	96h
Species	Leuciscus idus (golden orfe)
Method	OECD 203

Acute (short-term toxicity to crustacea)	
Effective dose - EC50 ~600mg/L	
Exposure time	48h
Species	Daphnia magna (Big water flea)
Method	OECD 202

Acute (short-term) toxicity to aquatic algae and cyanobacteria	
Effective dose - EC50 ~150mg/L	
Exposure time	72h
Species	Scenedesmus subspicatus
Method	OECD 201

Effects in sewage plants	
Method - Respiratory inhibition of municipal activated sludge.	
7500 mg/L	100% concentration, dilution >133
250000 mg/L	3% concentration, dilution >4
The product contains non-biodegradable fluorosurfactants. Some of the components are poorly biodegradable.	

#### Remark

Observe local regulations concerning effluent treatment.  
Special pre-treatments are necessary.

### PERSISTENCE AND DEGRADABILITY

#### Biodegradation

Readily biodegradable (according to OECD criteria).

Additional information

The product contains non-biodegradable fluorosurfactants.

Degradation rate (%): ~ 97%

Test duration: 28 d

Analytical method: BOD (% of COD).

Method: OECD 302B/ ISO 9888/ EEC 92/69/V, C.9

type: Aerobic biological treatment

Chemical Oxygen Demand (COD)	
~ 570000 mg*O <sub>2</sub> /L	100% concentration, method: DIN EN 38409-H41-1
~ 17100 mg*O <sub>2</sub> /L	3% concentration, method: DIN EN 38409-H41-1

Biochemical Oxygen Demand (BOD)	
~ 235000 mg*O <sub>2</sub> /L	100% concentration, method: DIN EN 1899-1, duration 5 days
~ 7050 mg*O <sub>2</sub> /L	3% concentration, method: DIN EN 1899-1, duration 5 days

#### BOD<sub>5</sub>/COD ratio

41%

## SECTION 12 - ECOLOGICAL INFORMATION

### BIOACCUMULATIVE POTENTIAL

1,2-ETHANDIOL: No indication of bioaccumulation potential.

2-(2-BUTOXYETHOXY)ETHANOL: No indication of bioaccumulation potential.

FLUOROSURFACTANT: No indication of bioaccumulation potential.

---

### MOBILITY IN SOIL

If product enters soil, it will be mobile and may contaminate groundwater.

---

### MOBILITY IN SOIL

1,2-ETHANDIOL: This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

2-(2-BUTOXYETHOXY)ETHANOL: This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

FLUOROSURFACTANT: This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

---

### OTHER ADVERSE EFFECTS

The product contains non-biodegradable fluorosurfactants.

## SECTION 13 - DISPOSABLE CONSIDERATIONS

### DISPOSABLE METHODS

Dispose of waste according to applicable legislation.

---

### LIST OF PROPOSED WASTE CODES/WASTE DESIGNATIONS IN ACCORDANCE WITH EWC

#### Waste code product

16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
1603	off-specification batches and unused products
160305*	organic wastes containing dangerous substances

#### Waste code packaging

15	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
1501	Packaging (including separately collected municipal packaging waste)
150110*	packaging containing residues of or contaminated by dangerous substances

---


### REMARK

Delivery to an approved waste disposal company.

Send to a hazardous waste incinerator facility under observation of official regulations.

Dispose according to legislation.

## SECTION 14 - TRANSPORT INFORMATION

Labelling ADG, IMO/IMDG, ICAO/IATA	 <p>2.2 Non flammable, non toxic gas</p>
<b>Road and Rail Transport (ADG Code)</b>	
<b>Classification:</b>	Classified as Dangerous Goods according to the Standards New Zealand; Transport of dangerous goods on land. (NZS 5433:2012)
<b>UN number</b>	1044
<b>Proper shipping name:</b>	FIRE EXTINGUISHERS with compressed or liquefied gas
<b>Transport hazard class/division:</b>	2.2
<b>Packing group:</b>	N/A
<b>HAZCHEM - Emergency Action Code</b>	No Hazchem Code issued to these articles. No HIN issued under RID and ADR.
<b>Special Provisions:</b>	225
<b>Limited Quantities:</b>	120mL
<b>Packing Instruction:</b>	P003
<b>Special Packing Provisions:</b>	PP91
<b>Marine transport (IMO/IMDG)</b>	
<b>Classification:</b>	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
<b>UN number:</b>	1044
<b>Proper shipping name:</b>	FIRE EXTINGUISHERS with compressed or liquefied gas
<b>Division:</b>	2.2
<b>Environmental hazards for Transport Purposes:</b>	Not a known pollutant according to the International Maritime Dangerous Goods (IMDG) Code. Substance is not classified as having an acute aquatic toxicity hazard.
<b>Emergency Schedule (EmS) - Fire:</b>	F-C
<b>Emergency Schedule (EmS) - Spillage:</b>	S-V
<b>Special provisions:</b>	225
<b>Air transport (ICAO/IATA)</b>	
<b>Classification:</b>	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
<b>UN number:</b>	1044
<b>Proper shipping name:</b>	FIRE EXTINGUISHERS with compressed or liquefied gas
<b>Division:</b>	2.2
<b>Packing instruction (Cargo Aircraft only):</b>	213
<b>Packing instruction (Passanger and Cargo Aircraft):</b>	Restricted.
<b>Special Provisions:</b>	A19

## SECTION 14 - TRANSPORT INFORMATION (CONTINUED)

### SPECIAL PRECAUTIONS FOR USER

Not available.

### ENVIRONMENTAL HAZARDS

None. Not a marine pollutant

## SECTION 15 - REGULATORY INFORMATION

### SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including, The Health and Safety at Work Act 2015 (HSWA), New Zealand. Classified as a Scheduled Poison according to the Standard for the Medicines and Poisons (SUSMP).

#### Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### EU legislation

**Regulation (EC) No. 2037/2000 concerning materials, which cause damage to the ozone layer.**

not applicable

**Regulation (EC) No. 304/2003 of the European parliament and of the council concerning the export and import of dangerous chemicals**

not applicable

**Directive 96/59/EC (PCB-guideline)**

not applicable

**Regulation (EC) No. 648/2004 (Detergents regulation)**

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

**Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).**

Volatile organic compounds (VOC) content in percent by weight: max. 10

**Regulation (EC) No. 842/2006 on certain fluorinated greenhouse gases**

not applicable

#### National regulations

Störfallverordnung

Not subject to StörfallVO.

**Water hazard class (WGK)**

slightly hazardous to water (WGK 1)

Classification according to VwVwS, Annex 4.

**annex Chemikalien-Verbotsverordnung (ChemVerbotsV)**

not applicable

### KEY LITERATURE REFERENCES AND SOURCES

Classification in accordance with the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including, The Health and Safety at Work Act 2015 (HSWA), New Zealand

National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)].

This Safety Data Sheet where necessary has been established in accordance with the applicable European Union legislation and has used calculation methods of regulation (EC) 1272/2008 CLP / (EC) 1999/45 DPD.

Standard for the Uniform Scheduling of Medicines and Poisons. (SUSMP)

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Standard for the Transport of dangerous goods on land (NZS 5433:2012)

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.

International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

### DISCLAIMER

The information is based on the best knowledge of FlameStop New Zealand Pty Ltd and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

**For contact information please go to page 1 of this SDS.**

**END OF SDS.**